



GT 221 B

*Gran subwoofer de elevado rendimiento
/ Great High - performance subwoofer*



GT 221 B

Gran subwoofer de elevado rendimiento / Great - High performance subwoofer.

Una nueva generación.

La Serie GT es la última generación de la línea profesional de la familia Pro DG Systems. GT 221 B es el perfecto subwoofer para utilizarse como refuerzo de graves en grandes eventos, gracias a su altísimo SPL. Tanto para touring como para instalación permanente.

GT 221 B es lo suficientemente compacto y potente para el concierto en directo al aire libre, discotecas, lugares de culto y eventos corporativos, así como en todo tipo de instalaciones tanto "indoor" como "outdoor".

A new generation.

The GT Series is the last generation from the professional brand Pro DG Systems. GT 221 B is the perfect systems to be used as low or deep reinforce, in large events thanks to its high SPL. It can be used for touring or for permanent set up.

GT 221 B is compacted and powerful enough for outdoor concerts, nighth clubs, houses of worship, corporate events as well as indoor or outdoor setups.


DETALLES & BENEFICIOS DETAILS & BENEFITS

- *Altísimo rendimiento / Very High performance.*
- *Excelente refuerzo de graves gracias a su altísimo SPL / Excellent as a reinforce for deep and low tunes thanks to its high SPL.*
- *Fácil integración con todos los sistemas de la Serie GT de Pro DG Systems / Flexible integration with all other systems from Pro DG Systems GT Series.*

APLICACIONES / APPLICATIONS

- *Estadios / Stadiums.*
- *Eventos al aire libre / Outdoor events.*
- *Conciertos al aire libre / Outdoor concerts.*
- *Eventos corporativos / Corporate events.*

Max



power weigth precision size



Excelente para P.A. Conciertos en estadios, lugares de culto y eventos corporativos donde precisemos un gran rendimiento y altísimo SPL. Simplemente el mejor de su rango gracias a su increíble relación potencia - tamaño. El mejor rendimiento, servicio y asesoramiento técnico al detalle junto con la fácil adquisición de repuestos, garantizan el éxito del profesional en todos sus eventos. GT 221 B es un sistema tremendamente poderoso, con una potencia máxima de pico de 141 dB, ideal como refuerzo de graves, permitiendo sonorizar recintos mucho más grandes que ningún otro sistema de su rango.

Excellent for P.A. Concerts in stadiums, outdoor sites and corporate events where we could use high performance and SPL. Simply the best in its rank thanks to its power and size relationship. The best performance, the best service and the best technical assesment to detail with the easy purchase of its spare parts, guarantee professional achievement in all of your events. GT 221 B is a extremely powerful system, with a maximum peak power handling of 141 dB, ideal as a deep reinforce transmitting the sound to greater enclosures than the other speakers in its rank.

GT 221 B es un sistema subwoofer, equipado con dos altavoces de 21" en un recinto sintonizado. Ideal como refuerzo de graves para todos los sistemas de la Serie GT. La configuración del transductor al tratarse de un subwoofer, genera una proyección de audio omnidireccional.

GT 221 B is a subwoofer system, equipped with two (2) 21" speakers in a tuned enclosure. Ideal as a deep or low reinforce for all the Pro DG Systems GT Series. Since it is a subwoofer, the transducer configuration generates an omnidirectional audio projection.

ESPECIFICACIONES ACUSTICAS / ACOUSTIC SPECIFICATIONS


Power Handling:	3000 W RMS (EIA 426A Standard). Programme of 6000 W / 12000 W peak.
Nominal Impedance:	4 Ohm
Average Sensitivity:	102 dB / 2.83 V/1m (average of 50 - 1000 Hz wideband).
Calculated Maximum SPL:	/ 1m 135 dB continuous / programme of 138 dB / 141 dB peak.
Frequency Range:	± 3 dB from 30 to 100 Hz.
Nominal Directivity:	Omnidireccional.
Low Frequency Driver:	two (2) 21" speakers, 8 Ohm, 1500 W, 540 mm in diameter with high temperature, glass fiber voice coil.
Recommended Amplifier:	Pro DG Systems GT 5.0 or Lab Gruppen FP 9000.
Connectors:	2 NL4MP speakon connectors.
Acoustic Box:	CNC 18 and 24mm made from birch wood plated on the exterior.
Finish:	Standard black paint job.
Box Dimensions:	(HxWxD); 635x1465x840mm (25"x57,67"x33,07").
Weight:	108,7 Kg (239,64 lbs) net / 110,6 Kg (243,83 lbs) gross.

ESPECIFICACIONES ADICIONALES / ADDITIONAL SPECIFICATIONS


Patín y funda de transporte para dos unidades / Trolley and covers for two units.



ARQUITECTURAL / ARCHITECTURAL



Respuesta de Frecuencia / Frequency Response





Pro DG Systems.

Urb. Rivera de San Luis. 21

14500. Puente Genil (Córdoba). Spain

Tlf: 678 548 947 607 290 698

www.prodgsystems.com